



**Site and Design**

<b>Treated Plot Width:</b> 6.67 FT	<b>Site Type:</b> FIELD field
<b>Treated Plot Length:</b> 30 FT	<b>Experimental Unit:</b> 1 PLOT plot
<b>Treated Plot Area:</b> 200.1 FT2	<b>Treatments:</b> 16
<b>Replications:</b> 3	<b>Tillage Type:</b> NOTILL no-till
	<b>Study Design:</b> RACOBL Randomized Complete Block (RCB)

**Soil Description**

<b>Description Name:</b> G-7 East	<b>Texture:</b> SICL silty clay loam
<b>% OM:</b> 2.5	<b>Soil Name:</b> Crosby
<b>pH:</b> 6	<b>Fert. Level:</b> G good
<b>CEC:</b> 17.4	<b>Soil Drainage:</b> F fair

**Application Description**

	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>Application Date:</b>	4-14-2015	4-24-2015	5-4-2015	5-28-2015	6-26-2015
<b>Appl. Start Time:</b>	4:00 PM	10:00 AM	12:00 PM	8:50 AM	9:00 AM
<b>Appl. Stop Time:</b>	4:10 PM	10:30 AM	12:30 PM	9:50 AM	9:15 AM
<b>Application Method:</b>	SPRAY	SPRAY	SPRAY	SPRAY	SPRAY
<b>Application Timing:</b>	14 EPP	7 EPP	ATPL	EPO	LPO
<b>Application Placement:</b>	BROSOI	BROSOI	BROSOI	BROFOL	BROFOL
<b>Applied By:</b>	Tony/Bruce	DOBBELS	DOBBELS	REEB	BARCLAY
<b>Air Temperature, Unit:</b>	59 F	69 F	77 F	69 F	69 F
<b>% Relative Humidity:</b>	45	51	39	75	95
<b>Wind Velocity, Unit:</b>	8 MPH	6 MPH	8 MPH	2.5 MPH	5 MPH
<b>Wind Direction:</b>	NE	N	SSW	E	NE
<b>Dew Presence (Y/N):</b>	N no	Y yes	N no		Y yes
<b>Soil Temperature, Unit:</b>	52 F	41 F	60 F	66 F	68 F
<b>Soil Moisture:</b>	SLIWET	GOOD	GOOD	DRY/MOIST	WET
<b>% Cloud Cover:</b>	100	0	60	60	100
<b>Next Moisture Occurred On:</b>	4-19-2015	4-25-2015	5-5-2015	5-30-2015	6-26-2015
<b>Time to Next Moisture, Unit:</b>	5 DAY	1 DAY	1 DAY	2 DAY	8 HR

**Crop Stage At Each Application**

	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
<b>Crop 1 Code, BBCH Scale:</b>	GLXMA	BSOY GLXMA	BSOY GLXMA	BSOY GLXMA	BSOY GLXMA
<b>Stage Scale Used:</b>				BBCH	BBCH
<b>Stage Majority, Percent:</b>				12 100	65 100
<b>Height, Unit:</b>				3 IN	13 IN
<b>Height Minimum, Maximum:</b>				2 4	12 15

**Pest Stage At Each Application**

	<b>A</b>		<b>B</b>		<b>C</b>		<b>D</b>		<b>E</b>	
<b>Pest 1 Code, Type, Scale:</b>	LAMPU	W	LAMPU	W	LAMPU	W	LAMPU	W	LAMPU	W
<b>Stage Majority, Percent:</b>	65	100	65	100	65	100				
<b>Diameter, Unit:</b>			6	IN	5	IN				
<b>Height, Unit:</b>	3	IN	5	IN	4	IN				
<b>Height Minimum, Maximum:</b>	2	4	4	6	3	6				
<b>Density, Unit:</b>	2	M2								
<b>Pest 2 Code, Type, Scale:</b>	TAROF	W	TAROF	W	TAROF	W	TAROF	W	TAROF	W
<b>Stage Majority, Percent:</b>	19	100	19	100	65	100				
<b>Diameter, Unit:</b>	3	IN	3	IN	7	IN				
<b>Height, Unit:</b>	2	IN	3	IN	3	IN				
<b>Height Minimum, Maximum:</b>	1	2	1	4	1	4				
<b>Density, Unit:</b>	0.66	M2								
<b>Pest 3 Code, Type, Scale:</b>	ERPSS	W	ERPSS	W	ERPSS	W	ERPSS	W	ERPSS	W
<b>Stage Majority, Percent:</b>	65	100	65	100						
<b>Height, Unit:</b>	3	IN	3	IN						
<b>Height Minimum, Maximum:</b>	1	3	1	3						
<b>Pest 4 Code, Type, Scale:</b>	SENGL	W	SENGL	W	SENGL	W	SENGL	W	SENGL	W
<b>Stage Majority, Percent:</b>	14	100	14	100						
<b>Height, Unit:</b>	2	IN	4	IN						
<b>Height Minimum, Maximum:</b>	1	3	2	5						
<b>Pest 5 Code, Type, Scale:</b>	CARPE	W	CARPE	W	CARPE	W	CARPE	W	CARPE	W
<b>Stage Majority, Percent:</b>			65	100						
<b>Diameter, Unit:</b>			3	IN						
<b>Height, Unit:</b>			4	IN						
<b>Height Minimum, Maximum:</b>			2	5						
<b>Pest 6 Code, Type, Scale:</b>	RANAB	W	RANAB	W	RANAB	W	RANAB	W	RANAB	W
<b>Stage Majority, Percent:</b>			65	100	65	100				
<b>Diameter, Unit:</b>			3	IN	4	IN				
<b>Height, Unit:</b>			6	IN	7	IN				
<b>Height Minimum, Maximum:</b>			4	7	6	8				
<b>Pest 7 Code, Type, Scale:</b>	STEME	W	STEME	W	STEME	W	STEME	W	STEME	W
<b>Stage Majority, Percent:</b>			65	100	65	100				
<b>Diameter, Unit:</b>			12	IN	12	IN				
<b>Height, Unit:</b>			3	IN	4	IN				
<b>Height Minimum, Maximum:</b>			1	4	3	4				
<b>Density, Unit:</b>	3	M2								
<b>Pest 8 Code, Type, Scale:</b>	VERAG	W	VERAG	W	VERAG	W	VERAG	W	VERAG	W
<b>Density, Unit:</b>	1.33	M2								
<b>Pest 9 Code, Type, Scale:</b>	ERYRE	W	ERYRE	W	ERYRE	W	ERYRE	W	ERYRE	W
<b>Density, Unit:</b>	2	M2								
<b>Pest10 Code, Type, Scale:</b>	SETFA	W	SETFA	W	SETFA	W	SETFA	W	SETFA	W
<b>Stage Majority, Percent:</b>							12	100	19	100
<b>Stage Minimum, Percent:</b>							12	100		
<b>Stage Maximum, Percent:</b>							14	100		
<b>Height, Unit:</b>							3	IN	10	IN
<b>Height Minimum, Maximum:</b>							1	4	3	12
<b>Pest11 Code, Type, Scale:</b>	AMBTR	W	AMBTR	W	AMBTR	W	AMBTR	W	AMBTR	W
<b>Stage Majority, Percent:</b>							12	100	19	100
<b>Stage Minimum, Percent:</b>							12	100		
<b>Stage Maximum, Percent:</b>							14	100		
<b>Height, Unit:</b>							3	IN	15	IN
<b>Height Minimum, Maximum:</b>							4	8	12	18

**Application Equipment**

	<b>A</b>		<b>B</b>		<b>C</b>		<b>D</b>		<b>E</b>	
<b>Appl. Equipment:</b>	6'	BACKPACK	6'	BACKPACK	6'	BACKPACK	10'	BACKPACK	10'	BACKPACK
<b>Equipment Type:</b>	BACCAI		BACCAI		BACCAI		BACCAI		BACCAI	
<b>Operation Pressure, Unit:</b>	44	PSI	44	PSI	44	PSI	44	PSI	50	PSI
<b>Nozzle Type:</b>	AIXR		AIXR		AIXR		AIXR		AIXR	
<b>Nozzle Size:</b>	11015		11015		11015		11015		11015	
<b>Nozzle Spacing, Unit:</b>	18	IN	18	IN	18	IN	18	IN	18	IN
<b>Nozzles/Row:</b>	4		4		4		6		6	
<b>Boom Length, Unit:</b>	6.67	FT	6.67	FT	6.67	FT	10	FT	10	FT
<b>Boom Height, Unit:</b>	20	IN	20	IN	20	IN	20	IN	20	IN
<b>Ground Speed, Unit:</b>	3	MPH	3	MPH	3	MPH	3	MPH	3	MPH
<b>Carrier:</b>	WATER		WATER		WATER		WATER		WATER	
<b>Spray Volume, Unit:</b>	15	gal/ac	15	gal/ac	15	gal/ac	15	gal/ac	15	gal/ac
<b>Mix Size, Unit:</b>	1	liters	1	liters	1	liters	2	liters	2	liters
<b>Propellant:</b>	COMCO2		COMCO2		COMCO2		COMCO2		COMCO2	

<b>Date</b>	<b>By</b>	<b>Notes</b>
7-30-2015		in the first rep the soybeans are stunted and not fully canopied because of extreme soil moisture conditions through season, resulting in first rep control ratings at final rating to look worse than reps 2 and 3.

Liberty Link/Aim/Authority marestail burndown in soybeans

Trial ID: 15 LIBBURN Location: G-7 EAST END Trial Year: 2015  
 Protocol ID: 15 LIBBURN Investigator: Dr. Mark M. Loux  
 Project ID: SULF.SOY.15.JPR.02(a) Study Director: Bryan Reeb  
 Sponsor Contact: Joe Reed, FMC

Pest Type				
Pest Code				
Pest Scientific Name	Weight	Moisture	TestWeight	Weight
Pest Name				
Crop Code	GLXMA	GLXMA	GLXMA	GLXMA
BBCH Scale	BSOY	BSOY	BSOY	BSOY
Crop Scientific Name	Glycine max	Glycine max	Glycine max	Glycine max
Crop Name	Soybean	Soybean	Soybean	Soybean
Crop Variety	Credenz 3841 LL	Credenz 3841 LL	Credenz 3841 LL	Credenz 3841 LL
Rating Date	10-7-2015	10-7-2015	10-7-2015	10-7-2015
Rating Type	WEIGHT	MOICON	WEITES	YIELD
Rating Unit	LBS	%	LBS/BU	BU
Sample Size, Unit	1 PLOT			1 A
Number of Subsamples	1	1	1	1
SE Group No.	15	16	17	18
Days After First/Last Applic.	176 103	176 103	176 103	176 103
Plant-Eval Interval	156 DP-1	156 DP-1	156 DP-1	156 DP-1
Days After Emergence	149 DE-1	149 DE-1	149 DE-1	149 DE-1
ARM Action Codes				TY1
Number of Decimals	1	1	1	1

Trt No.	Treatment Name	Other Rate	Other Rate Unit	Appl Code	Appl Description	15	16	17	18
1	Sharpen	1 oz/a		A	14 EPP	18.1 a	11.2 a	55.4 a	71.3 a
1	Exuro	0.6 qt/a		A	14 EPP				
1	Metribuzin	5 oz/a		B	7 EPP				
1	2,4-D Ester	16 oz/a		B	7 EPP				
1	Exuro	0.6 qt/a		B	7 EPP				
1	Authority XL	4 oz/a		C	ATPL				
1	Exuro	0.6 qt/a		C	ATPL				
1	Liberty	29 oz/a		D	EPO				
1	N-pak ams	3 qt/a		D	EPO				
1	Liberty	29 oz/a		E	LPO 21 DAPO				
1	N-pak ams	3 qt/a		E	LPO 21 DAPO				
2	Metribuzin	5 oz/a		A	14 EPP	17.8 a	11.3 a	55.6 a	70.1 a
2	2,4-D Ester	16 oz/a		A	14 EPP				
2	Authority XL	4 oz/a		A	14 EPP				
2	Exuro	0.6 qt/a		A	14 EPP				
2	Sharpen	1 oz/a		C	ATPL				
2	Exuro	0.6 qt/a		C	ATPL				
2	Liberty	29 oz/a		D	EPO				
2	N-pak ams	3 qt/a		D	EPO				
2	Liberty	29 oz/a		E	LPO 21 DAPO				
2	N-pak ams	3 qt/a		E	LPO 21 DAPO				
3	Aim	1 oz/a		B	7 EPP	17.4 a	11.3 a	55.5 a	68.7 a
3	Metribuzin	5 oz/a		B	7 EPP				
3	2,4-D Ester	16 oz/a		B	7 EPP				
3	Authority XL	4 oz/a		B	7 EPP				
3	Exuro	0.6 qt/a		B	7 EPP				
3	Liberty	29 oz/a		D	EPO				
3	N-pak ams	3 qt/a		D	EPO				
3	Liberty	29 oz/a		E	LPO 21 DAPO				
3	N-pak ams	3 qt/a		E	LPO 21 DAPO				

Means followed by same letter do not significantly differ (P=.05, LSD)  
 Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

Pest Type				
Pest Code				
Pest Scientific Name				
Pest Name				
Crop Code	GLXMA	GLXMA	GLXMA	GLXMA
BBCH Scale	BSOY	BSOY	BSOY	BSOY
Crop Scientific Name	Glycine max	Glycine max	Glycine max	Glycine max
Crop Name	Soybean	Soybean	Soybean	Soybean
Crop Variety	Credenz 3841 LL	Credenz 3841 LL	Credenz 3841 LL	Credenz 3841 LL
Rating Date	10-7-2015	10-7-2015	10-7-2015	10-7-2015
Rating Type	WEIGHT	MOICON	WEITES	YIELD
Rating Unit	LBS	%	LBS/BU	BU
Sample Size, Unit	1 PLOT			1 A
Number of Subsamples	1	1	1	1
SE Group No.	15	16	17	18
Days After First/Last Applic.	176 103	176 103	176 103	176 103
Plant-Eval Interval	156 DP-1	156 DP-1	156 DP-1	156 DP-1
Days After Emergence	149 DE-1	149 DE-1	149 DE-1	149 DE-1
ARM Action Codes				TY1
Number of Decimals	1	1	1	1

Trt No.	Treatment Name	Other Rate	Other Rate Unit	Appl Code	Appl Description	15	16	17	18
4	Aim	1 oz/a		C	ATPL	15.9 a	11.3 a	55.4 a	62.9 a
4	Metribuzin	5 oz/a		C	ATPL				
4	Authority XL	4 oz/a		C	ATPL				
4	Exuro	0.6 qt/a		C	ATPL				
4	Liberty	29 oz/a		D	EPO				
4	N-pak ams	3 qt/a		D	EPO				
4	Liberty	29 oz/a		E	LPO 21 DAPO				
4	N-pak ams	3 qt/a		E	LPO 21 DAPO				
5	Gramoxone Inteon	32 oz/a		B	7 EPP	17.9 a	11.3 a	55.1 a	70.7 a
5	Aim	1 oz/a		B	7 EPP				
5	Metribuzin	5 oz/a		B	7 EPP				
5	2,4-D Ester	16 oz/a		B	7 EPP				
5	Authority XL	4 oz/a		B	7 EPP				
5	Exuro	0.6 qt/a		B	7 EPP				
5	Liberty	29 oz/a		D	EPO				
5	N-pak ams	3 qt/a		D	EPO				
5	Liberty	29 oz/a		E	LPO 21 DAPO				
5	N-pak ams	3 qt/a		E	LPO 21 DAPO				
6	Gramoxone Inteon	48 oz/a		B	7 EPP	15.7 a	11.6 a	54.6 a	62.0 a
6	Aim	1 oz/a		B	7 EPP				
6	Metribuzin	5 oz/a		B	7 EPP				
6	2,4-D Ester	16 oz/a		B	7 EPP				
6	Authority XL	4 oz/a		B	7 EPP				
6	Exuro	0.6 qt/a		B	7 EPP				
6	Liberty	29 oz/a		D	EPO				
6	N-pak ams	3 qt/a		D	EPO				
6	Liberty	29 oz/a		E	LPO 21 DAPO				
6	N-pak ams	3 qt/a		E	LPO 21 DAPO				
7	Gramoxone Inteon	32 oz/a		B	7 EPP	16.9 a	11.5 a	54.9 a	66.4 a
7	Aim	1 oz/a		B	7 EPP				
7	2,4-D Ester	16 oz/a		B	7 EPP				
7	Authority MTZ	14 oz/a		B	7 EPP				
7	Exuro	0.6 qt/a		B	7 EPP				
7	Liberty	29 oz/a		D	EPO				
7	N-pak ams	3 qt/a		D	EPO				
7	Liberty	29 oz/a		E	LPO 21 DAPO				
7	N-pak ams	3 qt/a		E	LPO 21 DAPO				

Pest Type				
Pest Code				
Pest Scientific Name		Weight	Moisture	TestWeight
Pest Name				Weight
Crop Code		GLXMA	GLXMA	GLXMA
BBCH Scale		BSOY	BSOY	BSOY
Crop Scientific Name		Glycine max	Glycine max	Glycine max
Crop Name		Soybean	Soybean	Soybean
Crop Variety		Credenz 3841 LL	Credenz 3841 LL	Credenz 3841 LL
Rating Date		10-7-2015	10-7-2015	10-7-2015
Rating Type		WEIGHT	MOICON	WEITES
Rating Unit		LBS	%	LBS/BU
Sample Size, Unit		1 PLOT		1 A
Number of Subsamples		1	1	1
SE Group No.		15	16	17
Days After First/Last Applic.		176 103	176 103	176 103
Plant-Eval Interval		156 DP-1	156 DP-1	156 DP-1
Days After Emergence		149 DE-1	149 DE-1	149 DE-1
ARM Action Codes				TY1
Number of Decimals		1	1	1

Trt No.	Treatment Name	Other Rate	Other Rate Unit	Appl Code	Appl Description	15	16	17	18
8	Gramoxone Inteon	48 oz/a		B	7 EPP	17.2 a	11.6 a	55.5 a	67.8 a
8	Aim	1 oz/a		B	7 EPP				
8	2,4-D Ester	16 oz/a		B	7 EPP				
8	Authority MTZ	14 oz/a		B	7 EPP				
8	Exuro	0.6 qt/a		B	7 EPP				
8	Liberty	29 oz/a		D	EPO				
8	N-pak ams	3 qt/a		D	EPO				
8	Liberty	29 oz/a		E	LPO 21 DAPO				
8	N-pak ams	3 qt/a		E	LPO 21 DAPO				
9	Gramoxone Inteon	48 oz/a		C	ATPL	18.1 a	11.3 a	56.2 a	71.6 a
9	Aim	1 oz/a		C	ATPL				
9	Metribuzin	5 oz/a		C	ATPL				
9	Authority XL	4 oz/a		C	ATPL				
9	Exuro	0.6 qt/a		C	ATPL				
9	Liberty	29 oz/a		D	EPO				
9	N-pak ams	3 qt/a		D	EPO				
9	Liberty	29 oz/a		E	LPO 21 DAPO				
9	N-pak ams	3 qt/a		E	LPO 21 DAPO				
10	Gramoxone Inteon	48 oz/a		C	ATPL	17.9 a	11.6 a	56.4 a	70.2 a
10	Aim	1 oz/a		C	ATPL				
10	Authority MTZ	14 oz/a		C	ATPL				
10	Exuro	0.6 qt/a		C	ATPL				
10	Liberty	29 oz/a		D	EPO				
10	N-pak ams	3 qt/a		D	EPO				
10	Liberty	29 oz/a		E	LPO 21 DAPO				
10	N-pak ams	3 qt/a		E	LPO 21 DAPO				
11	Butyrac 200	14 oz/a		C	ATPL	19.4 a	11.3 a	55.3 a	76.8 a
11	Aim	1 oz/a		C	ATPL				
11	Metribuzin	5 oz/a		C	ATPL				
11	Authority XL	4 oz/a		C	ATPL				
11	Exuro	0.6 qt/a		C	ATPL				
11	Liberty	29 oz/a		D	EPO				
11	N-pak ams	3 qt/a		D	EPO				
11	Liberty	29 oz/a		E	LPO 21 DAPO				
11	N-pak ams	3 qt/a		E	LPO 21 DAPO				
12	Butyrac 200	14 oz/a		C	ATPL	18.2 a	11.3 a	55.7 a	71.8 a
12	Aim	1 oz/a		C	ATPL				
12	Authority MTZ	14 oz/a		C	ATPL				
12	Exuro	0.6 qt/a		C	ATPL				
12	Liberty	29 oz/a		D	EPO				
12	N-pak ams	3 qt/a		D	EPO				
12	Liberty	29 oz/a		E	LPO 21 DAPO				
12	N-pak ams	3 qt/a		E	LPO 21 DAPO				

Pest Type				
Pest Code				
Pest Scientific Name	Weight	Moisture	TestWeight	Weight
Pest Name				
Crop Code	GLXMA	GLXMA	GLXMA	GLXMA
BBCH Scale	BSOY	BSOY	BSOY	BSOY
Crop Scientific Name	Glycine max	Glycine max	Glycine max	Glycine max
Crop Name	Soybean	Soybean	Soybean	Soybean
Crop Variety	Credenz 3841 LL	Credenz 3841 LL	Credenz 3841 LL	Credenz 3841 LL
Rating Date	10-7-2015	10-7-2015	10-7-2015	10-7-2015
Rating Type	WEIGHT	MOICON	WEITES	YIELD
Rating Unit	LBS	%	LBS/BU	BU
Sample Size, Unit	1 PLOT			1 A
Number of Subsamples	1	1	1	1
SE Group No.	15	16	17	18
Days After First/Last Applic.	176 103	176 103	176 103	176 103
Plant-Eval Interval	156 DP-1	156 DP-1	156 DP-1	156 DP-1
Days After Emergence	149 DE-1	149 DE-1	149 DE-1	149 DE-1
ARM Action Codes				TY1
Number of Decimals	1	1	1	1

Trt Treatment No. Name	Other Rate	Other Rate Unit	Appl Code	Appl Description	15	16	17	18
13 Aim	1 oz/a		C	ATPL	17.3 a	11.3 a	55.2 a	68.3 a
13 Authority MTZ	14 oz/a		C	ATPL				
13 Liberty	29 oz/a		C	ATPL				
13 Exuro	0.6 qt/a		C	ATPL				
13 Liberty	29 oz/a		D	EPO				
13 N-pak ams	3 qt/a		D	EPO				
13 Liberty	29 oz/a		E	LPO 21 DAPO				
13 N-pak ams	3 qt/a		E	LPO 21 DAPO				
14 Butyrac 200	14 oz/a		C	ATPL	17.1 a	11.5 a	55.9 a	67.5 a
14 Aim	1 oz/a		C	ATPL				
14 Authority MTZ	14 oz/a		C	ATPL				
14 Gramoxone Inteon	32 oz/a		C	ATPL				
14 Exuro	0.6 qt/a		C	ATPL				
14 Liberty	29 oz/a		D	EPO				
14 N-pak ams	3 qt/a		D	EPO				
14 Liberty	29 oz/a		E	LPO 21 DAPO				
14 N-pak ams	3 qt/a		E	LPO 21 DAPO				
15 Sharpen	1 oz/a		C	ATPL	17.2 a	11.8 a	54.8 a	67.5 a
15 Aim	1 oz/a		C	ATPL				
15 Authority MTZ	14 oz/a		C	ATPL				
15 Liberty	29 oz/a		C	ATPL				
15 Exuro	0.6 qt/a		C	ATPL				
15 Liberty	29 oz/a		D	EPO				
15 N-pak ams	3 qt/a		D	EPO				
15 Liberty	29 oz/a		E	LPO 21 DAPO				
15 N-pak ams	3 qt/a		E	LPO 21 DAPO				
16 UTC					16.0 a	11.7 a	56.0 a	63.1 a
LSD P=.05					3.05	0.70	1.45	12.16
Standard Deviation					1.83	0.42	0.87	7.29
CV					10.51	3.66	1.57	10.64
Grand Mean					17.38	11.43	55.47	68.56
Bartlett's X2					12.049	17.386	15.936	11.874
P(Bartlett's X2)					0.675	0.296	0.386	0.689
Skewness					-0.816*	0.9373*	-0.9113*	-0.821*
Kurtosis					0.014	0.742	1.2736	0.0076
Replicate F					27.545	6.924	3.146	27.893
Replicate Prob(F)					0.0001	0.0034	0.0575	0.0001
Treatment F					0.812	0.571	0.934	0.815
Treatment Prob(F)					0.6573	0.8740	0.5396	0.6545

Crop Code  
 GLXMA, BSOY, Glycine max, = US  
 Rating Type  
 WEIGHT = weight  
 MOICON = moisture content

WEITES = weight - test

YIELD = yield

Rating Unit

% = percent

BU = bushel

PLOT = total plot

A = acre

Plant-Eval Interval

156 DP-1 = 1 GLXMA 5-4-2015

ARM Action Codes

TY1 =  $3.872 * [15] * (100 - [16]) / 87$